

Web Images Maps News Shopping Gmail more ▼



(data OR information) AND synchronization AND intervals AND vector AND vers

Search

Advanced Search  
Preferences

Web Results 1 - 10 of about 935,000 for (data OR information) AND synchronization AND intervals AND vector AND versions. (0.31 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

### Interval vector based knowledge synchronization for resource ...

An interval vector maps member identifiers to intervals of version sequence .... An over-approximation may be used to collect information of what data has ...

www.freepatentsonline.com/y2004/0186916.html - 67k - [Cached](#) - [Similar pages](#)

### Frame synchronizing apparatus for quadrature modulation data ...

respective received vector values, said frame synchronizing apparatus .... correlation signal pulses in respective intervals of said data frames, ...

www.patentstorm.us/patents/5585247/claims.html - 38k - [Cached](#) - [Similar pages](#)

### Phase Synchronization Analysis and Support Vector Machine for ...

naturally confined to the interval ... LDA firstly maps the data (feature vector) .... synchronization information from the signal and using the ...

ieeexplore.ieee.org/iel5/10785/33900/0161696.pdf - [Similar pages](#)

### Pass It On: Synchronizing NDS Replica Information

The synchronized up to vector is critical to the replica synchronization process, which refers to .... SET NDS SYNCHRONIZATION INTERVAL = [time in minutes] ...

support.novell.com/techcenter/articles/nc1997\_03b.html - 29k - [Cached](#) - [Similar pages](#)

### [Paper] Synchronization of EEG Signal and Its Effects on Training ...

So a data for 7 seconds has 13 windows of 1 second interval of time. .... And the align information applied to the PSD values for the synchronization. ...

www.actapress.com/PDFViewer.aspx?paperId=21817 - [Similar pages](#)

### Atrial Fibrillation Detection and R-Wave Synchronization by Metrix ...

The shortest synchronization R-R interval must be >= .... Examples of RA-CS vector EGM during false-negative or false-positive AF detection. ...

www.circ.ahajournals.org/cgi/content/full/99/11/1446 - [Similar pages](#)

### Multimedia event-based video indexing using time intervals

Image processing ; Automatic classification ; Synchronization ; Information source ; Multimedia ; Image analysis ; Time interval ; Method of maximum entropy ...

cat.inist.fr/?aModele=afficheN&cpsid=16947963 - [Similar pages](#)

### (WO/2004/088901) METHOD AND SYSTEM FOR SYNCHRONIZATION IN A ...

use the PDF version for legal matters. CLAIMS We claim: 1. A method for using a receiver to achieve timing synchronization during acquisition of a signal, ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO2004088901&DISPLAY=CLAIMS - 20k - [Cached](#) - [Similar pages](#)

### [PDF] Lenze Frequency Inverter 8200 vector User Information

File Format: PDF/Adobe Acrobat - [View as HTML](#)


4.4 Monitoring Interval. 22. 4.5 Process Data Synchronization ... The following table shows the minimum required software versions supporting operation ...

www.jeliter.de/~englisht2\_E.qspansion\_Modules/Lenze\_Modules/lenze\_8200vector\_bi\_102\_user\_information.pdf - [Similar pages](#)

### Signal Processing : A constrained least-squares algorithm with ...

A data-adaptive version of the algorithm for fast-fading channels is also .... the interval [162167] can be obtained by using this information from slot 1 ...

linkinghub.elsevier.com/retrieve/pii/S0165168400000682 - [Similar pages](#)



(data OR information) AND synchronization AND intervals AND vector AND versions

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)